

EASY & SMART INTERCOM SOLUTIONS

Contents

1 **Company Profile**

4 **System**

IP Intercom
2-Wire IP Intercom
4-Wire Hybrid Intercom
Smart Home
Wireless Video Doorbell

8 **Cloud Service**

10 **Product**

IP Video Intercom
2-Wire IP Video Intercom
4-Wire Hybrid Intercom
Smart Home
Wireless Doorbell
Access Control
Software

31 **Selection Guide**

32 **Project References**



TOP 1
Preferred Intercom Brand in China

700+
Patents and Copyrights

21 Years
of Intercom Experience

60%
R&D Staffs in Overseas Dept

Listed Company
SZSE: 300884

DNAKE (Xiamen) Intelligent Technology Co., Ltd., a top innovator of intercom and home automation solutions, specializes in designing and manufacturing innovative and high-quality intercom and smart home products. With 20 years of experience in the industry, DNAKE has developed a wide range of intercom and smart home products, including IP-based intercoms, access control, cloud platform, 2-wire intercoms, wireless doorbells, home control panel, smart sensors, and more.

RANKED 26TH IN THE 2024 GLOBAL TOP SECURITY 50

Owned by Messe Frankfurt, a&s Magazine annually announces the top 50 physical security companies in the world for over 20 years.



90+
Countries Covered

AWARDS

Europe

reddot winner

FRENCH DESIGN AWARD

PARIS DESIGN AWARDS 2024 WINNER

2024 GOLD WINNER

America

MUSE DESIGN AWARDS

BRONZE AWARD 2022

FINALIST 2022

IDA DESIGN AWARDS BRONZE WINNER 2022

IDA DESIGN AWARDS SILVER WINNER 2022

Asia

ASIA DESIGN PRIZE 2023 WINNER

当代好设计 WINNER 2020

COMPATIBILITY

Our intercom boasts exceptional compatibility, seamlessly integrating with various brands in video security, home automation, and IP telephony, etc. This ensures a smooth, connected experience for users, enhancing both convenience and security.

Video Security

Milesight, TVT, UNV, Tiandy, HIKVISION, alhua TECHNOLOGY

Home Automation

SAVANT, Control4, tuya, CRESTRON

IP Telephony

Asterisk, Yeastar, poly, Htek, 3CX, Yealink, GRANDSTREAM CONNECTING THE WORLD

Protocol

ONVIF, KNX, SIP, zigbee

Software

CyberTwice

IP Intercom

DNAKE SIP-based Android/Linux video door phone solutions leverage cutting-edge technologies for building access and deliver higher security and convenience for modern residential or commercial buildings.

Excellent Image Quality

- 2MP, WDR, Night Vision

Elegant & Stylish Design


- Artistic industrial design
- Designed for accessibility


Strong Compatibility

- IP phone, SIP softphone
- IP camera monitoring
- Video recording to DVRs/NVRs
- Home automation, elevator control integration

Easy Controls & Multiple Applications

- Mobile control/Access control/Elevator control/Three locks control
- Public password/Message/Do not disturb/More





2-Wire IP Intercom

It offers an innovative solution for seamlessly upgrading analog intercom systems to IP intercom systems through the utilization of existing 2-Wire cables.

Excellent Image Quality

- 2 MP, Night Vision

Simple Installation


- Plug & play
- Work with existing wiring

User Friendly Design

- Touch screen, call-log, image capture


Easy Controls

- Mobile control
- Dual lock control



4-Wire Hybrid Intercom

A complete, ready-to-use system featuring a door station and indoor monitor for enhanced home security and convenient communication.



Clear Image Quality

- 720P wide-angle camera

Simple Installation

- Plug & play
- Work with existing wiring

User Friendly Design

- Touch screen, call-log, image capture, video recording, and voice message

Easy Controls

- Mobile control
- CCTV integration

Smart Home

The smart home system seamlessly integrates home automation with smart switch, curtain motor, security sensors, intercoms, and IP cameras, offering intelligent control and comprehensive home protection via the user-friendly DNAKE Smart Life APP and H618 panel.

Personalized Smart Home Solution

- Personalized scene setup
- Customize homepage in control panel
- Max. 9 panels extension in one home

Multiple Ways to Control Home


- APP control
- Smart panel control
- Automatic control


Excellent Compatibility

- ZigBee 3.0
- Support Tuya ecosystem
- Video intercom & CCTV integration

All-around Protection

- Video security
- 24/7 detection
- Real-time alerts







Wireless Video Doorbell

The DK360 Wireless Doorbell Kit, based on Wi-Fi HaLow technology, delivers extended range, low power consumption, and clear, stable video. Its sleek design and reliable performance enhance home security and convenience.

- Long-range Transmission
- 7-inch IPS Capacitive Touch Screen
- Dual-band Wi-Fi (Optional)
- High-quality Video 1080P
- Mobile App Remote Control
- Eco-friendly Solar Charging




Cloud Platform



Smart Pro APP



CLOUD SERVICE



Remote Management

- All-in-one centralized management
- Batch device management
- OTA Upgrade

Ease of Deployment

- No wiring/installation of indoor units
- Subscription-based PSTN call

Easy Scalability

- Unrestricted building or intercom device expansion
- Batch device management

Enhanced Security

- Data encryption (SIP/TLS, SRTP, and ZRTP)
- Private/public cloud
- Privacy protection

Multiple Access

- Video call/Facial recognition/Smart Pro App/ PSTN/Temp key/QR code/Bluetooth/PIN Code

High Reliability

- Temporary access via time-restricted QR code
- Call/door release logs with snapshots



DOOR STATION

Premium All-around Performance



S617

8'' Facial Recognition Android Door Station

- 8'' color IPS LCD
- 120° wide-angle 2MP HD camera with automatic lighting
- Support WDR technology to lighten the dark areas and darken the overexposed parts of the image
- 3 output relays for door locks
- Door entry: call, face, IC card (13.56MHz), ID card (125kHz), PIN code, APP, Bluetooth
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- IP65 and IK08 certified



S414

4.3'' Facial Recognition Android 10 Door Station

- 4.3'' color IPS LCD
- 2MP HD dual cameras with automatic lighting
- Support WDR technology to lighten the dark areas and darken the overexposed parts of the image
- Door entry methods: call, face, IC card (13.56MHz), ID card (125kHz), PIN code, APP, Bluetooth
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- IP65 and IK08 certified



S615

4.3" Facial Recognition Android Door Station

- 120° wide-angle 2MP HD camera with WDR mode
- Induction loop for hearing impaired and braille dot for visually impaired
- 3 output relays for door locks
- Door entry: call, face, IC card (13.56MHz), ID card (125kHz), PIN code, APP, Bluetooth
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- IP65 certified



S215

4.3" SIP Video Door Station

- 110° wide-angle 2MP HD camera with automatic lighting
- Induction loop for hearing impaired and braille dot for visually impaired
- 3 output relays for door locks
- Door entry: call, IC card (13.56MHz), ID card (125kHz), PIN code, APP, Bluetooth
- IP65 certified

1-BUTTON SIP VIDEO DOOR PHONE


Compact but Powerful















C112

1-button SIP Video Door Phone

- Palm-sized design
- 110° wide-angle 2MP HD camera with Digital WDR mode
- Motion detection
- Optional Wi-Fi 6
- Door entry: call, IC card (13.56MHz), APP, Bluetooth
- IP65 water-proof & dust-proof

S-SERIES VIDEO DOOR PHONE

Make Access Simple,
Keep Communities Secure





S213M

Multi-button SIP Video Door Phone

- 110° wide-angle 2MP HD camera with automatic lighting
- 2 or 5 call buttons optional with name plates
- Door entry: call, IC card (13.56MHz), ID card (125kHz), APP
- 3 integrated indicators
- Tamper alarm
- IP65 certified



S213K

SIP Video Door Phone with Keypad

- 110° wide-angle 2MP HD camera with automatic lighting
- Door entry: call, IC card (13.56MHz), ID card (125kHz), PIN code, APP
- 3 integrated indicators
- Tamper alarm
- IP65 certified



S212

1-button SIP Video Door Phone

- 110° wide-angle 2MP HD camera with automatic lighting
- Door entry: call, IC card (13.56MHz), ID card (125kHz), APP
- 3 integrated indicators
- Tamper alarm
- IP65 certified



B17-EX001/S

Expansion Module

- Compatible with Video Door Phone S213M/S213K
- Aluminium alloy surface
- IP65 & IK07
- 10 call buttons
- Nameplate and buttons with backlight
- Support surface & flush mounting



B17-EX002/S

Expansion Module

- Compatible with Video Door Phone S213M/S213K
- Aluminium alloy surface
- IP65 & IK07
- 5 metal call buttons and 1 nameplate area
- Nameplate and buttons with backlight
- Support surface & flush mounting



B17-EX003/S

Expansion Module

- Compatible with Video Door Phone S213M/S213K
- Aluminium alloy surface
- IP65 & IK07
- 2 nameplate areas with backlight
- Support surface & flush mounting

INDOOR MONITOR

Empower Your Smart Life in
All-in-one Panel





New

H618 Pro

10.1″ Android 15 Indoor Monitor

- Unmatched performance with Android 15 OS
- Optional 4GB RAM, 32 GB ROM
- 10.1″ IPS capacitive touch screen, 1280 x 800
- Optional Wi-Fi 6 and 2MP camera
- Automatic screen wake-up when someone approaches
- Support monitoring 16 IP cameras
- Surface or desktop mounting



H618

10.1″ Android 10 Indoor Monitor

- 10.1″ IPS capacitive touch screen, 1280 x 800
- Excellent performance with Android 10 OS (RAM: 2GB, ROM: 8GB)
- Optional Wi-Fi and 2MP camera
- New smart home version designed for easy integration with ZigBee gateway and a wide range of sensors
- Automatic screen wake-up when someone approaches
- Support monitoring 16 IP cameras
- Surface or desktop mounting



H616

8″ Android 10 Indoor Monitor

- 8″ IPS capacitive touch screen, 1280 x 800
- Excellent performance with Android 10 OS (RAM: 1GB, ROM: 8GB)
- Flexible GUI for landscape or portrait view
- Optional Wi-Fi
- Black or silver housing option
- Support monitoring 16 IP cameras
- Surface or desktop mounting



A416

7″ Android 10 Indoor Monitor

- 7″ IPS capacitive touch screen, 1024 x 600
- Excellent performance with Android 10 OS (RAM: 1GB, ROM: 8GB)
- Optional Wi-Fi and 2MP camera
- Easy integration with other smart home devices through 3rd-party apps
- Surface or desktop mounting



E416

7″ Android 10 Indoor Monitor

- 7″ capacitive touch screen, 1024 x 600
- Excellent performance with Android 10 OS (RAM: 1GB, ROM: 8GB)
- Optional Wi-Fi
- Easy integration with other smart home devices through 3rd-party apps
- Surface or desktop mounting



904M-S3

10.1″ Android Indoor Monitor

- 10.1″ capacitive touch screen, 1024 x 600
- Optional Wi-Fi and 0.3MP camera
- Easy home automation integration through 3rd-party apps
- Support monitoring 16 IP cameras



New

H218

10.1″ Linux-based Indoor Monitor

- 10.1″ IPS capacitive touch screen, 1280 x 800
- Optional Wi-Fi 6
- Optional dual network ports
- Support monitoring 16 IP cameras
- TF card supported
- Surface or desktop mounting



280M-S3

10.1″ Linux-based Indoor Monitor

- 10.1″ capacitive touch screen, 1024 x 600
- HD quality audio and video communication
- Video monitoring 8 IP cameras
- Powered by PoE or power adapter (DC12V/2A)



E217

7″ Linux-based WIFI Indoor Monitor

- 7″ capacitive touch screen, 1024 x 600
- Support Wi-Fi
- Optional dual network ports
- TF card supported
- Video monitoring of 8 IP cameras
- Surface or desktop mounting



E216

7″ Linux-based Indoor Monitor

- 7″ capacitive touch screen, 1024 x 600
- Video monitoring of 8 IP cameras
- Surface or desktop mounting



E214

4.3″ Linux-based Indoor Monitor

- Easy and quick configuration
- Optional 4.3-inch capacitive touch screen
- Support Monitoring 8 IP Cameras
- Optional Wi-Fi



E211

SIP Audio Indoor Monitor

- Stylish design with user-friendly LED indicator
- Fade-resistant keys
- Optional handset
- Optional Wi-Fi

MASTER STATION





902C-A

Android-based IP Master Station

- 10.1″ capacitive touch screen, 1024 x 600
- Handset or hands-free communication
- Receive calls from door station or indoor monitor
- Review alarm/call logs
- Message sending/receiving
- Video monitoring of 16 IP cameras

IP VIDEO INTERCOM KIT





IPK05

IP Intercom Kit

- Plug & Play
- One-touch calling, talking and unlocking
- 2MP HD digital WDR camera
- Motion detection
- Door entry: call, IC card (13.56MHz), APP
- Support Wi-Fi for door station
- Wi-Fi indoor monitor
- TF card supported for video recording
- CCTV integration
- Standard PoE



IPK06

IP Intercom Kit

- Plug & Play
- User-friendly interface
- Door entry: call, IC card (13.56MHz), ID card (125kHz), PIN code, APP
- Check alarm notifications on the APP
- CCTV integration
- Extendable to 2 door stations and 6 indoor monitors



IPK07

IP Intercom Kit

- Plug & Play
- User-friendly interface
- Door entry: call, IC card (13.56MHz), ID card (125kHz), APP
- Check alarm notifications on the APP
- CCTV integration
- Extendable to 2 door stations and 6 indoor monitors



IPK08

IP Intercom Kit

- Plug & Play
- 2MP HD digital WDR camera
- Motion detection
- Door entry: call, IC card (13.56MHz), APP
- Check alarm notifications on the APP
- CCTV integration
- Extendable to 2 door stations and 6 indoor monitors

2-WIRE INTERCOM KIT





TWK01

2-Wire Intercom Kit

- Plug & Play
- Quick start wizard
- Wi-Fi connection
- Check alarm notifications on the APP
- Single call button with name plate
- CCTV integration
- Door entry: call, IC card (13.56MHz), APP



TWK04

2-Wire Intercom Kit

- Plug & Play
- Quick start wizard
- Wi-Fi connection
- Check alarm notifications on the APP
- CCTV integration
- Door entry: call, IC card (13.56MHz), PIN code, APP

4-WIRE HYBRID INTERCOM KIT





FWK01


4-Wire Hybrid Intercom Kit

- Plug & Play
- One-touch calling, talking and unlocking
- CCTV integration
- Voice message
- Optional Wi-Fi connection
- Mobile APP control supported

COMPLETE SMART HOME CONTROL

Intercom, Home Security,
Home Automation in One







MIR-GW200-TY

Smart Hub (Wireless)

- Adopt standard ZigBee 3.0 protocol and Bluetooth SIG Mesh protocol
- Support up to 32 ZigBee sub-devices
- Customized scenes and smart linkage
- Compact and lightweight design



HS6GW-TY

Smart Hub (Wired)

- Adopt standard ZigBee 3.0 protocol and Ethernet protocol
- Add up to 50 sub-devices
- Connect to the router by using a network cable to communicate with DNAKE Smart Life App
- Customized scenes and smart linkage



H618

10.1″ Smart Control Panel

- Excellent performance with Android 10 OS
- 10.1″ IPS capacitive touch screen, 1280 x 800
- Easy integration with ZigBee gateway and a wide range of sensors
- Customizable different scenes with other smart home products
- Optional Wi-Fi and 2MP camera
- Compatible with other smart home devices through 3rd-party apps



H616

8″ Smart Control Panel

- Excellent performance with Android 10 OS
- 8″ IPS capacitive touch screen, 1280 x 800
- Easy integration with ZigBee gateway and a wide range of sensors
- Customizable different scenes with other smart home products
- Optional Wi-Fi
- Compatible with other smart home devices through 3rd-party apps



TPP01-Z(EU)

4″ Linux Smart Control Panel

- 4-inch anti-fingerprint touch screen
- Zigbee gateway built-in, support 100+ sub-devices
- All in one IoT control
- Multi ways of device control include app control, scene control, touch control, voice control
- Alexa built-in voice service



TPP06

3.5″ Linux Smart Control Panel

- 3.5-inch 480*320 IPS Screen
- 3 physical buttons for 3 relays control
- Built-in infrared emission tubes, support 12 categories of infrared device control
- Built-in BLE mesh gateway, support stable operation of 128 sub-devices
- Multi ways of device control include app control, scene control, touch control



725-FV

Smart Lock

- Available door: wood door/metal door/security door
- Unlock methods: palm vein, face, password, card, fingerprint, mechanical key, APP
- Use a dummy code to discreetly unlock your door and block peeping
- High-definition 4.5-inch indoor screen with a wide-angle camera
- Millimeter-wave radar for real-time motion detection
- Generate a temporary password by APP
- Intuitive voice instructions for effortless control
- Built-in doorbell
- Integrate with your smart home to activate your 'Welcome Home' scene upon unlocking the door




607-B

Smart Lock


- Available door: wood door/metal door/security door
- Unlock methods: password, card, fingerprint, mechanical key, APP
- Semi-automatic locking: lift the handle to lock instantly
- Use a dummy code to discreetly unlock your door and block peeping
- Generate a temporary password by APP
- Intuitive voice instructions for effortless control
- Tamper alarm/low battery alert/unauthorized access alarm Built-in doorbell
- Integrate with your smart home to activate your 'Welcome Home' scene upon unlocking the door

8 RELAYS & INPUT MODULE



RIM08

- Multi-input/output: support up to eight channels of switch signal input and eight channels of output control over electrical appliances
- Remote control by Smart Pro APP or indoor monitor 280M-S3/E216
- On/off switching control for 8 devices by one module
- Security linkage with indoor monitor to trigger automatic actions
- Household connection of up to 9 modules for 72 electrical devices



WIRELESS DOORBELL KIT

All-in-one Home Security System

DK360 (DC300+DM60)

- Plug & Play
- 500m transmission distance in open area
- Mobile APP control
- Eco-friendly solar charging





DC300

- Wi-Fi HaLow
- 110° wide-angle 2MP HD camera
- Single call button with name plate
- Tamper alarm
- Eco-friendly solar charging
- Dual power options: DC 9-24V or Rechargeable Lithium Battery



DM60

- 7" IPS capacitive touch screen, 1024 x 600
- High-quality video 1080P
- Support Wi-Fi (2.4G/5G)
- Photo capture & video record
- Dual power options: DC 12V or Rechargeable Lithium battery
- Desktop/surface mounting

ACCESS CONTROL





AC01

Access Control

- Aluminum alloy and 2.5D tempered glass
- 50mm width slim design, suitable for narrow installation scenario
- IP65 & IK08
- Door entry: RFID, NFC, Bluetooth, APP
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- Support Wiegand & RS485



AC02

Access Control

- Aluminum alloy and 2.5D tempered glass
- 50mm width slim design, suitable for narrow installation scenario
- IP65 & IK08
- Door entry: RFID, PIN, NFC, Bluetooth, APP
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- Support Wiegand & RS485



AC02C

Access Control

- 2MP HD camera
- Aluminum alloy and 2.5D tempered glass
- 50mm width slim design, suitable for narrow installation scenario
- IP65 & IK08
- Door entry: RFID, PIN, NFC, Bluetooth, QR Code, APP
- Secured access with encrypted card (MIFARE Plus SL1/SL3 card)
- Support Wiegand & RS485



EVC-ICC-A5

Elevator Control Module

- Control which floor people can access by integrating the elevator control module into the DNAKE video intercom system
- Limit residents and their guests to entering only authorized floors
- Prevent unauthorized users from entering the elevator
- Enable residents to summon the elevator on indoor monitor
- 16-channel relay input
- Configure and manage device via web software
- Support connection to the RFID card reader



UM5-F19

Security Relay I/O Module

- Ensure secure door control by transmitting signals between the access control and the lock
- Two relays
- Two exit buttons
- Unlocking settings

SOFTWARE



Cloud Platform

Call Feature

- Cloud calling
- Diverse call modes
- Call forwarding to landline

Access Control

- Multiple door entry methods
- Role-based access control
- Flexible and secure access rules

Cloud Management

- Cloud Platform Management based on role permissions
- Professional building and residential management
- Batch device management
- Remote device operation and maintenance

CMS



Central Management System

- On-prem software system for intercom management via the LAN
- Access card and facial ID management
- Bulk management of intercom devices and residents
- Access and review call, unlock, and alarm logs
- Sending and receiving messages to and from indoor monitors
- Alarm handling


APP



Smart Pro APP

- Video preview before call pick-up
- Receive calls from door station anytime and anywhere
- Remote door unlocking
- Open the door via Bluetooth or QR code
- Temporary key for visitors
- Push notification of incoming call and security alarm
- View automatically stored calls, unlock and alarm logs
- One-key monitoring and snapshot

GET IT ON Google Play Available on the App Store



Smart Life APP

- Video calls and home automation control on your mobile phone
- Video preview before call pick-up
- Remote door unlocking
- Snapshot & video recording
- Support offline call notification
- Easy configuration and remote administration
- Share the account with family members, up to 20 APPs

GET IT ON Google Play Available on the App Store

SELECTION GUIDE

○YES ×NO

Application	Apartment/Office					Apartment/Villa/Office	Villa/Office	
Positioning	Premium			Mid-range		-	Premium	Entry Level
Model	S617	S414	S615	S215	S213M	S213K	S212	C112
Image								
Display	8″ IPS	4.3'' IPS	4.3″ TFT	4.3″ TFT	×	×	×	×
Touch Screen	○	○	×	×	×	×	×	×
Front Panel	Aluminum	Plastic	Aluminum	Aluminum	Aluminum	Aluminum	Aluminum	ABS
Operating System	Android	Android 10	Android	Linux	Linux	Linux	Linux	Linux
PoE	○ (PoE+)	○	○ (PoE+)	○	○	○	○	○
SIP	○	○	○	○	○	○	○	○
ONVIF	○	○	○	○	○	○	○	○
Camera	○	○	○	○	○	○	○	○
PIN/Card Entry	○	○	○	○	○	○	○	○
Biometric Access	○	○	○	×	×	×	×	×
IP/IK Rating	IP65/IK08	IP65/IK08	IP65	IP65	IP65	IP65	IP65	IP65
Wiegand	○	○	○	○	○	○	○	○
Relay out	3	2	3	3	2	2	2	1
RS485	○	○	○	○	○	○	○	○
WIFI	×	×	×	×	×	×	×	Optional
TF card Slot	×	○	×	×	×	×	×	○
Installation	Flush or Surface	Surface	Flush or Surface	Flush or Surface	Flush or Surface	Flush or Surface	Flush or Surface	Surface

Application	Living room/Bed room/Kitchen/Office/etc.									
Positioning	Premium			Mid-range			Entry Level			
Model	H618 Pro/H618	H616	A416	904M-S3	E416	H218	280M-S3	E217/E216	E214	E211
Image										
Display	10.1″ IPS 1280*800	8″ IPS 1280*800	7″ IPS 1024*600	10.1″ TFT 1024*600	7″ TFT 1024*600	10.1″ IPS 1280*800	10.1″ TFT 1024*600	7″ TFT 1024*600	4.3'' TFT480*272	×
Touch Screen	○	○	○	○	○	○	○	○	○	Touch key
Front Panel	Aluminum	Aluminum	ABS	ABS	ABS	Aluminum+Plastic	ABS	ABS	ABS	ABS
RAM	4GB (H618 Pro) / 2GB (H618)	1GB	1GB	1GB	1GB	128MB	64MB	128MB (E217) / 64MB (E216)	64MB	64MB/128MB
ROM	32GB (H618 Pro) / 8GB (H618)	8GB	8GB	4GB	8GB	128MB	128MB	128MB	128MB	16MB
Operating System	Android 15 (H618 Pro) Android 10 (H618)	Android 10	Android 10	Android 6	Android 10	Linux	Linux	Linux	Linux	Linux
PoE	○	○	○	○	○	○	○	○	○	○
SIP	○	○	○	○	○	○	○	○	○	○
Camera	Optional	×	Optional	Optional	×	×	×	×	×	×
Wi-Fi	Optional	Optional	Optional	Optional	Optional	Optional	×	○ (E217) × (E216)	Optional	Optional
Handset	×	×	×	×	×	×	×	×	×	Optional
3rd-party Apps	○	○	○	○	○	×	×	×	×	×
Installation	Surface, Desktop, or Flush (H618 Only)	Surface or Desktop	Surface or Desktop	Surface	Surface or Desktop	Surface or Desktop	Surface	Surface or Desktop	Surface	Surface

PROJECT REFERENCES

50,000+
Project Completed

12,000,000+
Households Covered



NITERÓI 128
Bogotá, Columbia | Apartment



HORIZON
Pattaya, Thailand | Detached Homes



Oaza Mokotow
Warsaw, Poland | Apartment



TOWER 11 PEARL
Doha, Qatar | Apartment



MedPark Hospital
Bangkok, Thailand | Hospital



Projekat P 33
Belgrade, Serbia | Apartment



SKY HOUSE ALAM SUTERA & BSD
Banten, Indonesia | Apartment



Raheja Residency
Mumbai, India | Luxury Residence



CEPA KONUTLARI PROJESİ
Ankara, Turkey | Apartment



Majorelle Residences
Rabat, Morocco | Apartment



DARCO Signature
Jeddah, Saudi Arabia | Apartment



MANDALA GARDEN TOWN
Ulaanbaatar, Mongolia | Apartment



KOLEJ NA 19
Warsaw, Poland | Apartment



Soyak Olympiakent
İstanbul, Turkey | Apartment



Smart Concept Project
Ashgabat, Turkmenistan | Apartment



Al Erkyah City
Doha, Qatar | Apartment



sales01@dnake.com
+86 592-5705812
www.dnake-global.com